



ROY ROMER
Governor

PATRICIA A. NOLAN, MD, MPH
Executive Director

Hazardous Materials and Waste Management Division
4210 East 11th Avenue
Denver, Colorado 80220-3716
(303) 331-4830 / FAX (303) 331-4401

Telefax Numbers

Main Building, Denver
(303) 322-9076

Piarmigan Place, Denver
(303) 320-1529

First National Bank Building, Denver
(303) 355-6559

Grand Junction Office
(303) 248-7198

Pueblo Office
(719) 543-8441

May 4, 1992

Mr. Frazer Lockhart
U. S. Department of Energy
Rocky Flats Office
P.O. Box 928
Golden, Colorado 80402-0928

RE: Technical Memorandum 3, OU 2 - 903 Pad, Mound, and East Trenches


Dear Mr. Lockhart,


The Colorado Department of Health, Hazardous Materials and Waste Management Division (the Division), and EPA have reviewed the above referenced document submitted by DOE and prime operating contractor, EG&G. The agencies hereby approve this technical memorandum provided that the following change is incorporated.

All references to produced water reinjection need to be removed. The agencies consider produced water to be an investigation-derived waste and should be handled in a manner consistent with SOP FO.5, "Handling of Purge and Development Water." This change will make this TM internally consistent and, according to staff level discussions, consistent with the planned implementation of the aquifer tests.

If you have any questions regarding these matters, please call Joe Schieffelin (CDH) at 331-4421 or Bill Fraser (EPA) at 294-1081.

Sincerely,


Gary W. Baughman, Unit Leader
Hazardous Waste Facilities,
Hazardous Materials and Waste
Management Division
CDH


Martin Hestmark
Team Leader, Rocky Flats Project
EPA

cc Martin Hestmark, EPA
Scott Grace, DOE
Eric Dille, EG&G
Paul Bunge, EG&G
Barbara Barry, RFPD